


The product advantages




The 19" Interzoll Plus desktop enclosure system is compatible with the accessory components from the Interzoll product range.



Interzoll Plus has sheet steel covers on top and underneath. Different colours can be achieved by using powder lacquering.



The side parts consist of an anodised aluminium profile onto which the plastic covers for the enclosure screws can be snapped.



Optional tip-up feet or handles allow use as a desktop enclosure.




Interzoll Plus has integrated tip-up feet on the back, so in mobile use it can be securely positioned upright and rear exits are protected mechanically.



Quick-Finder:
www.bopla.de/29

Examples of use





BOPLA

A Phoenix Mecano Company

Interzoll Plus



Colour:

Enclosure:

● Light grey, similar to RAL 7035
and natural color anodized, special colours on request

Protection class:

IP40 / DIN EN 60529

IP20 / DIN EN 60529 with ventilation (ADG...-L)

Material:

Profiles: Al Mg Si 0,5, anodized

Cover plates: sheet steel

Plastic panels, covers: ABS / PVC V-1

For details see technical information.



Interzoll Plus

19"

Enclosure sizes

IZP 18340

IZP 18360

IZP 18380

IZP 24340

IZP 24360

IZP 24380

IZP 30340

IZP 30360

IZP 30380



IZP 36340

IZP 36360

IZP 36380

Design types

3 U






BOPLA

A Phoenix Mecano Company

Interzoll Plus

Tapped strips GS I

Tapped strips GS II




Dimensions

Model	A	B	C	HP
3 U				
IZP 18340	132.7	235.84	197.2	42
IZP 18360	132.7	342.52	197.2	63
IZP 18380	132.7	449.2	197.2	84
IZP 24340	132.7	235.84	257.2	42
IZP 24360	132.7	342.52	257.2	63
IZP 24380	132.7	449.2	257.2	84
IZP 30340	132.7	235.84	317.2	42
IZP 36360	132.7	342.52	317.2	63
IZP 30380	132.7	449.2	317.2	84
IZP 36340	132.7	235.84	377.2	42
IZP 36360	132.7	342.52	377.2	63
IZP 36380	132.7	449.2	377.2	84

Accessories



Card guide, one and three parts




Subrack flange, aluminium, silver-coloured anodised



Clamp profile sets for fitting of split cover plates



Bus and rear profiles



Front and part front panels and cover plates in different versions

Interzoll Plus

Enclosure





Enclosure profile sets, 3U

Model	Order no.	A	B	C	a1	b1	c1	U	HP	Card depth	IP
Izp 18340	28183405	132.7	235.84	197.2	112.3	213.36	172.2	3	42	160	20
Izp 18360	28183605	132.7	342.52	197.2	112.3	320.04	172.2	3	63	160	20
Izp 18380	28183805	132.7	449.2	197.2	112.3	426.72	172.2	3	84	160	20
Izp 24340	28243405	132.7	235.84	257.2	112.3	213.36	232.2	3	42	220	20
Izp 24360	28243605	132.7	342.52	257.2	112.3	320.04	232.2	3	63	220	20
Izp 24380	28243805	132.7	449.2	257.2	112.3	426.72	232.2	3	84	220	20
Izp 30340	28303405	132.7	235.84	317.2	112.3	213.36	292.2	3	42	280	20
Izp 30360	28303605	132.7	342.52	317.2	112.3	320.04	292.2	3	63	280	20
Izp 30380	28303805	132.7	449.2	317.2	112.3	426.72	292.2	3	84	280	20
Izp 36340	28363405	132.7	235.84	377.2	112.3	213.36	352.2	3	42	340	20
Izp 36360	28363605	132.7	342.52	377.2	112.3	320.04	352.2	3	63	340	20
Izp 36380	28363805	132.7	449.2	377.2	112.3	426.72	352.2	3	84	340	20



Scope Of Delivery:

- 1) 2 side panels (anodised aluminium)
- 2) 4 screw covers (plastic, similar to RAL 7035)
- 3) 2 covers (plastic, similar to RAL 7035)
- 4) 2 covers with foot (plastic, similar to RAL 7035)
- 5) 4 front profiles (anodised aluminium)
- 6) 4 tapped strips GS I (galvanised steel)
- 7) 8 screws (M4x12/BFS 0400 steel)
- 8) 4 rubber feet

Notes: Installation acc. to IEC 60297-3-101. 2 U versions on request.



Z-2903304



Interzoll Plus



Cover plates

Clamp profile sets, natural-coloured anodised aluminium, for fitting of split cover plates


Model	Order no.	HP
EPS 00042	54002420	42
EPS 00063	54002630	63
EPS 00084	54002840	84

Scope Of Delivery: 2 profiles, incl. mounting material (BFS 0200)

Notes: The EPS and EPS-I clamp profile sets are required for mounting of the cover plates (ADG...). This allows removal of the top covers without disassembly of the BGT side wall. Exception: If a subrack with a profile side wall is used, the clamp profile is integrated with the bus or rear profile.



Cover plates for subrack Interzoll Plus



C1


IZP independent of rack units			ADG over insertion depth (in front)						
Model	Depth	TE	Card depth 160 mm			Card depth 220 mm			
			Order-no.	Item name	Depth ADG	Order-no.	Item name	Depth ADG	
IZP 18_40	197.2	42	-	-	-	-	-	-	
IZP 18_60	197.2	63	-	-	-	-	-	-	
IZP 18_80	197.2	84	-	-	-	-	-	-	
IZP 24_40	257.2	42	54912420	ADG 12042	123 mm	54918420	ADG 18042	183 mm	
			54912421	ADG 12042-L	123 mm	54918421	ADG 18042-L	183 mm	
IZP 24_60	257.2	63	54912630	ADG 12063	123 mm	54918630	ADG 18063	183 mm	
			54912631	ADG 12063-L	123 mm	54918631	ADG 18063-L	183 mm	
IZP 24_80	257.2	84	54912840	ADG 12084	123 mm	54918840	ADG 18084	183 mm	
			54912841	ADG 12084-L	123 mm	54918841	ADG 18084-L	183 mm	
IZP 30_40	317.2	42	54912420	ADG 12042	123 mm	54918420	ADG 18042	183 mm	
			54912421	ADG 12042-L	123 mm	54918421	ADG 18042-L	183 mm	
IZP 30_60	317.2	63	54912630	ADG 12063	123 mm	54918630	ADG 18063	183 mm	
			54912631	ADG 12063-L	123 mm	54918631	ADG 18063-L	183 mm	
IZP 30_80	317.2	84	54912840	ADG 12084	123 mm	54918840	ADG 18084	183 mm	
			54912841	ADG 12084-L	123 mm	54918841	ADG 18084-L	183 mm	
IZP 36_40	377.2	42	54912420	ADG 12042	123 mm	54918420	ADG 18042	183 mm	
			54912421	ADG 12042-L	123 mm	54918421	ADG 18042-L	183 mm	
IZP 36_60	377.2	63	54912630	ADG 12063	123 mm	54918630	ADG 18063	183 mm	
			54912631	ADG 12063-L	123 mm	54918631	ADG 18063-L	183 mm	
IZP 36_80	377.2	84	54912840	ADG 12084	123 mm	54918840	ADG 18084	183 mm	
			54912841	ADG 12084-L	123 mm	54918841	ADG 18084-L	183 mm	



Interzoll Plus

- ADG version closed
- ADG version perforated
- L. a. A. = delivery on request

Cover plates for subrack Interzoll Plus



C2

IZP independent of rack units			ADG over connection area (in rear) Across the entire beam depth with an interrupted design						
Model	Depth	TE	In addition to position C1 (at card depth 160 mm)			In addition to position C1 (at card depth 220 mm)			
			Order-no.	Item name	Depth ADG	Order-no.	Item name	Depth ADG	
IZP 18_40	197.2	42	-	-	-	-	-	-	
IZP 18_60	197.2	63	-	-	-	-	-	-	
IZP 18_80	197.2	84	-	-	-	-	-	-	
IZP 24_40	257.2	42	54960420	ADG 06042	63 mm	-	-	-	
			54960421	ADG 06042-L	63 mm	-	-	-	
IZP 24_60	257.2	63	54960630	ADG 06063	63 mm	-	-	-	
			54960631	ADG 06063-L	63 mm	-	-	-	
IZP 24_80	257.2	84	54960840	ADG 06084	63 mm	-	-	-	
			54960841	ADG 06084-L	63 mm	-	-	-	
IZP 30_40	317.2	42	54912420	ADG 12042	123 mm	54960420	ADG 06042	63 mm	
			54912421	ADG 12042-L	123 mm	54960421	ADG 06042-L	63 mm	
IZP 30_60	317.2	63	54912630	ADG 12063	123 mm	54960630	ADG 06063	63 mm	
			54912631	ADG 12063-L	123 mm	54960631	ADG 06063-L	63 mm	
IZP 30_80	317.2	84	54912840	ADG 12084	123 mm	54960840	ADG 06084	63 mm	
			54912841	ADG 12084-L	123 mm	54960841	ADG 06084-L	63 mm	
IZP 36_40	377.2	42	54912420	ADG 18042	183 mm	54912420	ADG 12042	123 mm	
			54912421	ADG 18042-L	183 mm	54912421	ADG 12042-L	123 mm	
IZP 36_60	377.2	63	54912630	ADG 18063	183 mm	54912630	ADG 12063	123 mm	
			54912631	ADG 18063-L	183 mm	54912631	ADG 12063-L	123 mm	
IZP 36_80	377.2	84	54918840	ADG 18084	183 mm	54912840	ADG 12084	123 mm	
			54918841	ADG 18084-L	183 mm	54912841	ADG 12084-L	123 mm	



	54301042	IZPB 00042	54304210	IZPR 00042	54002420	EPS 00042
	54301042	IZPB 00042	54304210	IZPR 00042	54002420	EPS 00042
	54301063	IZPB 00063	54306310	IZPR 00063	54002630	EPS 00063
	54301063	IZPB 00063	54306310	IZPR 00063	54002630	EPS 00063
	54301084	IZPB 00084	54308410	IZPR 00084	54002840	EPS 00084
	54301084	IZPB 00084	54308410	IZPR 00084	54002840	EPS 00084

Interzoll Plus

■ ADG version closed

■ ADG version perforated

L. a. A. = delivery on request

Interzoll Plus

Card guides




Card guides, one and three parts, plastic, UL 94 V1 green

Model	Order no.	Card depth	Note
KF 160	54700160	160	one piece
KF 220-K	54700225	220	three pieces
KF/X 220	89700220	160	one piece


Scope Of Delivery: 10 card guides

Notes: Snap-in / optionally screwable with GS...II and BFS 0300 (54700030). Three-part card guide in special lengths on request.

KF 160



KF 220-K



KF/X 220



Z-2904345

Interzoll Plus

Thread and insulating strips

Tapped strips, galvanised steel, M2.5, 7 x 2 mm, for part front panel fixing

Model	Order no.	HP
GS 00042-I	54000421	42
GS 00063-I	54000631	63
GS 00084-I	54000841	84

Scope Of Delivery: 2 tapped strips



Tapped strips, galvanised steel, M2.5, 5 x 1.5 mm, for horizontal profile grooves and rear fixing of backplanes, insulating strips and Z rails

Model	Order no.	HP
GS 00042-II	54000422	42
GS 00063-II	54000632	63
GS 00084-II	54000842	84

Scope Of Delivery: 2 tapped strips




Slotted set screw M2.5 x 8 / M2.5 x 5, V2A, for positioning and earthing the tapped strip

Model	Order no.	Note
GSE-5	54700390	L = 5mm
GSE-8	54700395	L = 8mm

Scope Of Delivery: 10 slotted set screws

Notes: GSE-5 for use in the recessed double groove, in the horizontal grooves (e.g. card guide screwing system) and in the double bus profiles for 6 U subracks and in the adapter profiles. GSE-8 for use in both double grooves.




Interzoll Plus

Insulated plastic, UL 94 V1, for insulated fixing of backplanes

Model	Order no.	HP
IS 00042	54000142	42
IS 00063	54000163	63
IS 00080	54000180	80
IS 00084	54000184	84

Scope Of Delivery: 4 insulating strips (IS 00042 = 2 insulating strips)


Notes: To achieve the necessary insertion depth when using bus profile rails.



Z-2900470

Interzoll Plus


Profiles / profile sets



Bus profile set, aluminium natural-coloured anodised, for indirect backplane fixing

Model	Order no.	HP
IZPB 00042	54301042	42
IZPB 00063	54301063	63
IZPB 00084	54301084	84


Scope Of Delivery: 2 profiles including tapped strips and mounting material (BFS 0400)



Rear profile set, aluminium natural-coloured anodised, for connectors acc. to DIN EN 60603-2 (previously DIN 41612)

Model	Order no.	HP
IZPR 00042.12	54304210	42
IZPR 00063.12	54306310	63
IZPR 00084.12	54308410	84


Scope Of Delivery: 2 profiles including mounting material (BFS 0400)



Flange set 3 U, aluminium natural-coloured anodised, for mounting with IZP side panels

Model	Order no.	Note
IZP-FL 00300	54530000	for IZP 3 U, without handle drilled holes
IZP-FLG 00300	54531000	for IZP 3 U, with handle drilled holes Scope

Of Delivery: 2 pieces (IZP-FLG... including 2 fixing screws BFS 0400 (4700031))



Handle set 3 U, aluminium natural-coloured anodised, for mounting with flanges (IZP-FLG 00300)

Model	Order no.	U
GR 00300	54600320	3
GR 00600	54600620	6

Scope Of Delivery: 2 handles including mounting material (BFS 0400)

Interzoll Plus


Accessories

Handles / tip-up bows, hinged

Model	Order no.	HP	Note
IZP-HS 00040	54542010	42	For IZP ... 40
IZP-HS 00060	54563010	63	For IZP ... 60
IZP-HS 00080	54584010	84	For IZP ... 80

Scope Of Delivery: profile (aluminium)

Notes: Fixed detent positions of the handle at 30° stages. Mechanical processing of the side panels on request.
The maximum load is 300 N.




Tip-up feet, polyamide

Model	Order no.	Note
AB 1230	39603000	Including 4 sheet metal screws

Scope Of Delivery: Set-up foot set (2 fixed and 2 hinged feet), fixing material

Notes: Mechanical processing of the cover plate on request.



Interzoll Plus

Screws

Mounting material

Model	Order no.	Note
BFS 0200	54700020	Countersunk screw M 3x5, cross-head, for fixing of clamp profiles
BFS 0300	54700030	Cheese-head screw M 2.5x8, slotted, for fixing of card earthing, card guide, insulating strip and Z rails
BFS 0400	54700031	Recessed head screws M 4x12 for Interzoll-Plus profiles
KM 5	54700350	M5 cage nut for fitting of BGT / FPS in the enclosure or cabinet
KS 5	54700360	M5 cross-head screw for fitting of BGT / FPS in the enclosure or cabinet
KU 5	54700370	Washer for KS 5, nickel-plated brass

Scope Of Delivery: KM, KS and KU 10 pcs.; BFS 20 pcs.



Interzoll Plus

Front panel

Part front panels, natural-coloured anodised aluminium, passivated on rear


Model	Order no.	a1	b1	U	HP
TF/M 242	86842023	84.05	213.01	2	42
TF/M 263	86863023	84.05	319.69	2	63
TF/M 284	86884023	84.05	426.37	2	84
TF/M 302	86802033	128.5	9.81	3	2
TF/M 303	86803033	128.5	14.89	3	3
TF/M 304	86804033	128.5	19.97	3	4
TF/M 306	86806033	128.5	30.13	3	6
TF/M 307	86807033	128.5	35.21	3	7
TF/M 308	86808033	128.5	40.29	3	8
TF/M 310	86810033	128.5	50.45	3	10
TF/M 312	86812033	128.5	60.61	3	12
TF/M 314	86814033	128.5	70.77	3	14
TF/M 318	86818033	128.5	91.09	3	18
TF/M 319	86819033	128.5	96.17	3	19
TF/M 320	86820033	128.5	101.25	3	20
TF/M 321	86821033	128.5	106.33	3	21
TF/M 328	86828033	128.5	141.97	3	28
TF/M 340	86840033	128.5	202.85	3	40
TF/M 342	86842033	128.5	213.01	3	42
TF/M 363	86863033	128.5	319.69	3	63
TF/M 384	86884033	128.5	426.37	3	84
TF/M 484	86884043	172.95	426.37	4	84
TF/M 604	86804063	261.85	19.97	6	4
TF/M 605	86805063	261.85	25.05	6	5
TF/M 608	86808063	261.85	40.29	6	8
TF/M 628	86828063	261.85	141.89	6	28
TF/M 642	86842063	261.85	213.01	6	42
TF/M 684	86884063	261.85	426.37	6	84




Scope Of Delivery: 1 part front panel

Notes: Special sizes on request. Screw holders and collar screws as accessories.

TF/M .02



TF/M ...



Z-2904355

Interzoll Plus

Front panel




Front panels, 3 / 6 U, collapsible, front natural-coloured anodised aluminium, passivated on rear

Model	Order no.	a1	b1	U	HP
TF/M 342-K	86842038	128.5	213.01	3	42
TF/M 363-K	86863038	128.5	319.69	3	63
TF/M 384-K	86884038	128.5	426.37	3	84
TF/M 642-K	86842068	261.85	213.01	6	42
TF/M 663-K	86863068	261.85	319.69	6	63
TF/M 684-K	86884068	261.85	426.37	6	84

Scope Of Delivery: 1 front panel, 1 hinge set, 3 plastic screw holders, 3 knurled screws BFS/M 2200, mounting material

Notes: The usable width is not restricted. Can be unhooked at 135° except for Internorm Stil. One tapped strip above and below is required for each fixing.



Z_290967-K

Interzoll Plus

Front panel

Plug-in front panels, front natural-coloured anodised aluminium, passivated on rear, incl. handles, plastic, UL 94 V 0, light grey

Model	Order no.	a1	b1	U	HP
ST/M 303	86803037	128.5	14.89	3	3
ST/M 304	86804037	128.5	19.97	3	4
ST/M 305	86805037	128.5	25.05	3	5
ST/M 306	86806037	128.5	30.13	3	6
ST/M 308	86808037	128.5	40.29	3	8
ST/M 309	86809037	128.5	45.37	3	9
ST/M 310	86810037	128.5	50.45	3	10
ST/M 312	86812037	128.5	60.61	3	12
ST/M 318	86818037	128.5	91.09	3	18
ST/M 321	86821037	128.5	106.33	3	21



Scope Of Delivery: :

- 1) 1 handle, trapezoidal shape (LEXAN UL94 V-0)
- 2) 1 identification plate (aluminium 1.5 mm, anodised)
- 3) 1 front panel (aluminium 2.5 mm, front anodised, rear yellow chromated)
- 4) 1 cylinder head screw (SHR Z M 2.5x16)
- 5) 1 panhead screw (SHR S M 2.5x8)
- 6) 2 cylinder head screws (SHR Z M 2.5x8)
- 7) 2 spring discs (A 2.6)
- 8) up to 7 HP: 2 collar screws with recessed screw head (M 2.5x12.3, for plug-in front panels)
- 8) 8 HP and higher: 4 collar screws with recessed screw head (M 2.5x12.3, for plug-in front panels)
- 9) 2 circuit board holders (ZN diecast, 2 threads M 2.5)
- 10) 1 cylinder head screw (SHR Z M 2.5x12)
- 11) up to 7 HP: 2 plastic screw holders (PA6, grey, unscreened, for plug-in front panels)
- 11) 8 HP and higher: 4 plastic screw holders (grey, unscreened, for plug-in front panels)
- 12) 1 hexagon nut (M 2.5 for version with metal circuit board holder)

Notes: Additional sizes on request.




ST/M 3..



Interzoll Plus

Front panel




Handle profile, natural-coloured anodised aluminium, metre profile

Model	Order no.
GRL/M 1000-AL	86081740

Scope Of Delivery: 1m handle profile

Notes: Mounting material, (86081750) and BFS/M 1800 (86000180) / 1900 (86000190) see Interzoll Modul chapter.




Fixing piece, plastic, black, for fixing the handle profile GRL to the front panel

Model	Order no.
FX/M	86081750

Scope Of Delivery: 20 fixing pieces

Notes: Mounting in aluminium handle GRL/M (86081740) with BFS/M 1800 (86000180) / 1900 (86000190) see Interzoll Modul chapter.




PCB holder and fixing material

Model	Order no.	Note
BFS/M 1000	86000100	SHR Z M 2.5x12, galvanised steel, slotted, for LKH/M 02, 03
BFS/M 1200	86000120	SHB FED 2.6, anodised steel, for LKH/M 03
BFS/M 1900	86000190	SHR Z M 2.5 x 8, anodised steel, cross-head, for FX/M, LKH/M 03
BFS/M 2000	86000200	MU M 2.5-6KT, galvanised steel, for LKH/M 02
BFS/M 2100	86000210	SHR S M 2.5x8, galvanised steel, cross-head, for ST/M (-EMV), LKH/M 02, 03
BFS/M 2600	86000260	SHR Z M 2.5x16, galvanised steel, recessed screw head, for LKH/M 02, 03
LKH/M 02	86080020	With 4 through holes for fixing front panels and circuit boards
LKH/M 03	86080030	With 2 M 2.5 threads for fixing of front panels and circuit boards

Scope Of Delivery: 10 pieces

BFS/M: 20 pieces



Mounting material for part front panels and plug-in units

Model	Order no.	Note
BFS/M 1600	86000160	Collar screws, SHR Z M 2.5x12.3x6.5-SP, nickel-plated steel, for front panels
BFS/M 1700	86000170	Collar screws, SHR Z M 2.5x12.3x6.5-SP, nickel-plated steel, for front panels, torx 8
BFS/M 2200	86000220	Knurled screw without slot, SHR R M 2.5x12.3x6.5-SPx18.3, nickel-plated steel
BFS/M 2700	86000270	Knurled screw without slot, SHR R M 2.5x12.3x6.5-SPx25.3, anodised steel, for PF/M with long lip
IHS 19	54700410	Collar screws SHR Z M2.5x11.3x6.3-SP, slotted-head screw
IRS 19	54700420	Slotted knurled screw, collar screws SHR R M2.5x11.3x6.3-SP
ISH/M 19	86080510	Plastic screwholder, PA 6, grey
ISHM/M 19	86080500	Metal screw holder, stainless steel (1.4305), for conductive contacting for riveting to the front panel

Scope Of Delivery: ISH 19 / IRS 19 = 10 pieces, otherwise 20 pieces

Interzoll Plus

Frame-type plug-in units


Interzoll PRO frame-type plug-in units, 3 U, natural-coloured anodised aluminium front panel, colourless passivated aluminium side profiles, galvanised steel cover plates, plain, galvanised steel rear panel with one slot, 3 U



Model	Order no.	a1	b1	c1	U	HP
IZK/M 16308-RW1-P	85808311	128.4	40.3	166.9	3	8
IZK/M 16310-RW1-P	85810311	128.4	50.46	166.9	3	10
IZK/M 16312-RW1-P	85812311	128.4	60.62	166.9	3	12
IZK/M 16314-RW1-P	85814311	128.4	70.78	166.9	3	14
IZK/M 16321-RW1-P	85821311	128.4	106.34	166.9	3	21
IZK/M 16328-RW1-P	85828311	128.4	141.9	166.9	3	28
IZK/M 16342-RW1-P	85842311	128.4	213.02	166.9	3	42

Scope Of Delivery: 1 front panel with handle, 2 side panels, 2 top covers, 1 rear panel, mounting material

Notes: Additional versions, 6 U, EMC or with hood on request.



Z-2904357

Cover plates, perforated, 1mm, galvanised sheet steel, for frame-type plug-in units, 3 U

Model	Order no.	c1	HP
IZK/M 16008-ADL-P	86090812	166.9	8
IZK/M 16010-ADL-P	86091012	166.9	10
IZK/M 16012-ADL-P	86091212	166.9	12
IZK/M 16014-ADL-P	86091412	166.9	14
IZK/M 16021-ADL-P	86092112	166.9	21
IZK/M 16028-ADL-P	86092812	166.9	28
IZK/M 16042-ADL-P	86094212	166.9	42

Scope Of Delivery: 1 cover plate

Notes: c1 = cover plate depth



Interzoll Plus

Frame-type plug-in units



Cover plates, perforated, 1mm, galvanised sheet steel, for PRO frame-type plug-in units, 3 U, to accommodate card guides

Model	Order no.	c1	HP
IZK/M 16008-ADL-KF-P	86090813	166.9	8
IZK/M 16010-ADL-KF-P	86091013	166.9	10
IZK/M 16012-ADL-KF-P	86091213	166.9	12
IZK/M 16014-ADL-KF-P	86091413	166.9	14
IZK/M 16021-ADL-KF-P	86092113	166.9	21
IZK/M 16028-ADL-KF-P	86092813	166.9	28
IZK/M 16042-ADL-KF-P	86094213	166.9	42

Scope Of Delivery: 1 cover plate

Notes: c1 = cover plate depth



Card guides for cover plates IZK/M-ADL-KF, plastic, UL 94 V0, red

Model	Order no.	Card depth
IZK/M KF-160-P	86216030	160

Scope Of Delivery: 10 card guides



Rear panel open, galvanised sheet steel, for IZK/M frame-type plug-in units

Model	Order no.	HP
IZK/M 00308-RWO-P	86090833	8
IZK/M 00310-RWO-P	86091033	10
IZK/M 00312-RWO-P	86091233	12
IZK/M 00314-RWO-P	86091433	14
IZK/M 00321-RWO-P	86092133	21
IZK/M 00328-RWO-P	86092833	28
IZK/M 00342-RWO-P	86094233	42

Scope Of Delivery: 1 rear panel



PCB and rear panel holder

Model	Order no.	
LKH/M 09-P	86080090	
LKH/M 10-P	86080110	
RWH/M 01-P	86080120	

Scope Of Delivery:

LKH/M 10-P = 10 pieces (5 pairs right / left)

RWH/M 01-P = 10 pieces



BOPLA

A Phoenix Mecano Company